



# Declaration of Conformity & Technical Documentation


## Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	<a href="mailto:compliance@cchobby.dk">compliance@cchobby.dk</a>
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S


## Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:


 <p>Canvas Panel, size 10x10 cm, thickness 3 mm, 280 g, white, 1pc/ 1 pc Item no. 225000</p>	 <p>Canvas Panel, size 12,4x12,4 cm, 280 g, white, 1pc/ 1 pc Item no. 225010</p>
---	--




Canvas Panel, size 15x15 cm, thickness 3 mm, 280 g, white, 10 pc/ 1 pack  
Item no. 22502




Canvas Panel, size 15x15 cm, thickness 3 mm, 280 g, white, 1pc/ 1 pc  
Item no. 225020




Canvas Panel, size 15x15+20x20 cm, thickness 3 mm, 280 g, white, 80pc/ 1 pack  
Item no. 225039




Canvas Panel, size 20x20 cm, thickness 3 mm, 280 g, white, 1pc/ 1 pc  
Item no. 225040




Canvas Panel, size 18x24 cm, thickness 3 mm, 280 g, white, 10 pc/ 1 pack  
Item no. 22506




Canvas Panel, size 18x24 cm, 280 g, white, 1pc/ 1 pc  
Item no. 225060



Canvas Panel, size 30x30 cm, thickness 3 mm, 280 g, white, 10 pc/ 1 pack  
Item no. 22510




Canvas Panel, size 30x30 cm, thickness 3 mm, 280 g, white, 1pc/ 1 pc  
Item no. 225100



Canvas Panel, A5, size 15x21 cm, 280 g, white, 1pc/  
1 pc  
Item no. 225130



Canvas Panel, A4, size 21x29,7 cm, thickness 3 mm, 280 g, white, 10 pc/ 1 pack  
Item no. 22514



Canvas Panel, A4, size 21x29,7 cm, 280 g, white, 1pc/ 1 pc  
Item no. 225140



Canvas Panel, A3, size 29,7x42 cm, 280 g, white, 1pc/ 1 pc  
Item no. 225150




Canvas Panel, A2, size 42x60 cm, thickness 3 mm,  
280 g, white, 10 pc/ 1 pack  
Item no. 22516




Canvas Panel, A2, size 42x60 cm, thickness 3 mm,  
280 g, white, 1pc/ 1 pc  
Item no. 225160




Canvas Panel, 280 g, white, 108 pc/ 1 pack  
Item no. 22520




Canvas Panel, A4, 210x297 cm, thickness 3 mm,  
1pc/ 1 pc  
Item no. 923159




Canvas Panel, size 15x15 cm, thickness 3 mm, 1pc/  
1 pc  
Item no. 923152



Canvas Panel, size 12,4x12,4 cm, thickness 3 mm,  
1pc/ 1 pc  
Item no. 923151




Canvas Panel, size 10x10 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack  
Item no. 225001




Canvas Panel, A4, size 21x29,7 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack  
Item no. 225141




Canvas Panel, A5, size 15x21 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack  
Item no. 225131



Canvas Panel, size 18x24 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack  
Item no. 225061



Canvas Panel, size 12,4x12,4 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack  
Item no. 225011



Canvas Panel, size 20x20 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack  
Item no. 225041

 <p>Canvas Panel, size 30x30 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack Item no. 225101</p>	 <p>Canvas Panel, size 15x15 cm, thickness 3 mm, 280 g, white, 12pc/ 1 pack Item no. 225021</p>
--	---

**Product description**

Good quality canvas mounted on a heavy cardboard panel, which are glued on the reverse

**Instructions of use**

Crafting

**Material Declaration**

Textile: 100% Cotton

Wood species and scientific name: Not available

**The object of the declaration is in conformity with the relevant EU harmonisation legislation (se specifications in Appendix 1)**

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1)

Regulation 2019/1021/EU on persistent organic pollutants (POP)

**Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to which conformity is declared**

**Title**  
N/A

**Reference**  
N/A

**Safety information**

N/A

**Markings, claims, and certifications**

**Name**  
N/A

**Licensing Code**  
N/A

**Notified body**

Not applicable

**Signature**


Holstebro

03-09-2024

(place)

(date)

Charlotte Pauli Adolphsen  
Compliance

A handwritten signature in blue ink is written over a faint, semi-transparent watermark of the 'creativ' logo. The signature is cursive and appears to read 'Charlotte Pauli Adolphsen'. Below the signature, there is a faint stamp containing the company name and contact information.

(name and function)

(signature)

## Appendix 1 – Specifications

	<b>Canvas</b> <i>Textile (including all in natural and synthetic materials), wood and treatment</i>
<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII</b>	Full compliance
<b>CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC)</b> Link: <a href="#">candidate-list-table</a>	Not allowed
<b>Substances on the Authorisation List (REACH, Annex XIV)</b> Link: <a href="#">Authorisation List</a>	Not allowed
<b>Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)</b>	Full compliance
<b>BIOLOGICALLY ACTIVE FINISHING PRODUCTS</b>	Use substances approved by OEKO-TEX: <a href="#">OEKO-TEX Accepted Active Chemical Products</a>

<b>REACH Annex XVII entries of special importance:</b> <a href="#">Substances restricted under REACH (Annex XVII)</a>	
<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>DIMETHYL FUMERATE (CAS NO 624-49-7)</b> Entry 61	0.1mg/kg (0.1ppm)
<b>FORMALDEHYDE (CAS No 50-00-0)</b> Entry 72	75mg/kg (75ppm)
<b>SOLVENT RESIDUES</b> Entry 72 Benzene (CAS No 71-43-2)	Addition not allowed 5mg/kg (5ppm)
<b>ORGANOSTANNIC COMPOUNDS</b> Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8)  Dibutyltin (DBT) compounds (CAS No 1002-53-5)  Diocetyl tin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn)    0.1% (1000ppm) by weight of tin (Sn)  0.1% (1000ppm) by weight of tin (Sn)
<b>CHLORINATED PHENOLS</b> Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)



<b>ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES</b> Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) $(C_2H_4O)_n C_{15}H_{24}O$	Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)
<b>POLYCYCLIC AROMATIC HYDROCARBON (PAH)</b> Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBA <sub>h</sub> A) (CAS No 53-70-3)	1mg/kg (1ppm) each

<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>FLAME RETARDANTS</b> Entry 45 Diphenylether, octabromo derivative  Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7)  Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1)  Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)	0.1% (1000ppm)  Not allowed  Not allowed  Not allowed
<b>EXTRACTABLE HEAVY METALS</b> Entry 72 Cadmium (Cd) and its compounds Hexavalent chromium (Cr(VI) ) compounds Arsenic (As) compounds Lead (Pb) and its compounds (For the above metals compounds: as listed in entry 28, 29, 30 Appendices 1-6)	1 mg/kg (1ppm) for each metal, expressed as the base metal extractable from the material
<b>DYES, DISPERSE</b> Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)	0.1% (1000ppm) each
Entry 72 Basic Violet 3 (CAS No 548-62-9) Disperse Blue 1 (CAS No 2475-45-8) Basic Red 9 (CAS No 569-61-9)	50mg/kg (50ppm) each

<p><b>'BLUE COLOURANT'</b> Entry 43, Appendix 9</p> <p>Not allocated Component 1: CAS-No: 118685-33-9: C<sub>39</sub>H<sub>23</sub>ClCrN<sub>7</sub>O<sub>12</sub>S<sub>2</sub>.2Na</p> <p>Component 2: C<sub>46</sub>H<sub>30</sub>CrN<sub>10</sub>S<sub>2</sub>.3 Na</p> <p>A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1- naphtholato) chromate(1-)</p>	0.1% (1000ppm)

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below:</b></p> <p>Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1)</p> <p>Benzidine (CAS No 92-87-5)</p> <p>4-Chloro-o-toluidine (CAS No 95-69-2)</p> <p>2-Naphthylamine (CAS No 91-59-8)</p> <p>o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3)</p> <p>5-Nitro-o-toluidine(CAS No 99-55-8)</p> <p>4-Chloroaniline (CAS No 106-47-8)</p> <p>4-Methoxy-m-phenylenediamine (CAS No 615-05-4)</p> <p>4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9)</p> <p>3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1)</p> <p>3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4)</p> <p>3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7)</p> <p>4,4'-Methylenedi-o-toluidine (CAS No 838-88-0)</p> <p>6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8)</p> <p>4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4)</p> <p>4,4'-Oxydianiline (CAS No 101-80-4)</p> <p>4,4'-Thiodianiline (CAS No 139-65-1)</p> <p>o-Toluidine, 2-aminotoluene (CAS No 95-53-4)</p> <p>4-Methyl-m-phenylenediamine (CAS No 95-80-7)</p> <p>2,4,5-Trimethylaniline (CAS No 137-17-7)</p> <p>o-Anisidine, 2-methoxyaniline (CAS No 90-04-0)</p> <p>4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: &gt;30mg/kg (30ppm))</p>

<p><b>PHTHALATES</b> Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)</p>	<p>Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)</p>
<p>Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5</p>	<p>Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>PERFLUOROCARBOXYLIC ACIDS (PFCAs)</b> REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaflluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosaflluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosaflluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosaflluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecaflluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p>	<p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb</p>
<p><b>Specific for metal parts (rivets, buttons, zippers, accessories etc.)</b> REACH Annex XVII entries to be observed: <a href="#">Substances restricted under REACH (Annex XVII)</a></p>	
<p><b>TOTAL HEAVY METALS</b> REACH, Annex XVII entry 23 Cadmium (Cd) (CAS No 7440-43-9) and its components</p> <p>Entry 63 Lead (Pb) (CAS No 7439-92-1) and its compounds</p> <p>Entry 18 Mercury (Hg) (CAS No 7439-97-6) and its compounds</p>	<p>0.01% (100ppm)</p> <p>0.05% (500ppm)</p> <p>100ppm<sup>1</sup></p>

<sup>1</sup> Danish BEK 73 of 25/01/2016

<b>NICKEL (CAS No 7440-02-0) and its compounds</b> Entry 27 Nickel release (for metals with skin contact)	0.5 µg/cm <sup>2</sup> /week
<b>Persistent organic pollutants (POP) of specific focus: <a href="#">Regulation 2019/1021/EU (POP)</a></b>	
<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>PERFLUORINATED CHEMICALS (PFCs)</b> Perfluorooctane sulfonic acid and its derivatives (PFOS)	0.001% (10ppm)
<b>FLAME RETARDANTS</b> Deca-bromodiphenyl ether (decaBDE) (CAS No 1163-19-5)	Addition not allowed 0.001% (10ppm)
<b>SCCPs</b> Alkanes C <sub>10</sub> -C <sub>13</sub> , chloro (short-chain chlorinated paraffins)	0.15% (1500ppm)

<b>REACH Annex XVII entries of special importance: <a href="#">Substances restricted under REACH (Annex XVII)</a></b>	
<b>DIMETHYL FUMERATE (CAS NO 624-49-7)</b> Entry 61	0.1mg/kg
<b>Persistent organic pollutants (POP) of specific focus: <a href="#">Regulation 2019/1021/EU (POP)</a></b>	
<b>CHLORINATED PHENOLS</b> Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5 and others)	Addition not allowed Trace contamination allowed up to 5mg/kg