

# Declaration of Conformity & Technical Documentation

## Identity of the supplier

|  |  |
|--|--|
| Company name:  | Creativ Company A/S  |
| Address:   | Rasmus Færchs Vej 23, 7500 Holstebro, Denmark                    |
| E-mail address:  | <a href="mailto:compliance@cchobby.dk">compliance@cchobby.dk</a> |
| This declaration of conformity is issued under the sole responsibility of: | The manufacturer Creativ Company A/S                             |

## Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:

|   |   |
|---|---|
|  <p>Elastic cord, thickness 1 mm, 10x3.50m/ 1 pack<br/>Item no. 410500</p> |  <p>Elastic cord, thickness 1 mm, 10x25m/ 1 pack<br/>Item no. 41050</p> |
|---|---|

## Product description

Assortment of round fabric elastic in excellent quality and beautiful colours. The elastic cord is used to thread beads and as a decorative thin cord for hanging etc

## Instructions of use

Crafting

## Textile Composition

100% Polyester

**The object of the declaration is in conformity with the relevant EU harmonisation legislation  
(see specifications in Appendix 1)**

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1)

Regulation 2019/1021/EU on persistent organic pollutants (POP)

**Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to  
which conformity is declared**

**Title**  
N/A

**Reference**  
N/A

**Safety information**

N/A

**Markings, claims, and certifications**

**Name**  
N/A

**Licensing Code**  
N/A

**Notified body**

Not applicable

**Signature**

Holstebro

18-10-2024

(place)

(date)

Charlotte Pauli Adolphsen  
Compliance

(name and function)



(signature)

## Appendix 1 – Specifications

|   |   |
|---|---|
|   | <b>Textiles</b><br><i>Textile products (e.g. t-shirts, caps, aprons), fabrics (as piece goods), yarns, all in natural and synthetic materials</i> |
| <b>Creativ Company requirements:</b>  | Requirement / Max level in the final product  |
| <b>Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII</b>                                     | Full compliance   |
| <b>CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC)</b><br>Link: <a href="#">candidate-list-table</a> | Not allowed   |
| <b>Substances on the Authorisation List (REACH, Annex XIV)</b><br>Link: <a href="#">Authorisation List</a>    | Not allowed   |
| <b>Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)</b>                           | Full compliance   |
| <b>BIOLOGICALLY ACTIVE FINISHING PRODUCTS</b>   | Use substances approved by OEKO-TEX:<br><a href="#">OEKO-TEX Accepted Active Chemical Products</a>  |

|   |  |
|---|--|
| <b>REACH Annex XVII entries of special importance:</b><br><a href="#">Substances restricted under REACH (Annex XVII)</a>  |  |
| <b>Creativ Company requirements:</b>  | Requirement / Max level in the final product   |
| <b>DIMETHYL FUMERATE (CAS NO 624-49-7)</b><br>Entry 61  | 0.1mg/kg (0.1ppm)  |
| <b>FORMALDEHYDE (CAS No 50-00-0)</b><br>Entry 72  | 75mg/kg (75ppm)  |
| <b>SOLVENT RESIDUES</b> Entry 72<br>Benzene (CAS No 71-43-2)  | Addition not allowed<br>5mg/kg (5ppm)  |
| <b>ORGANOSTANNIC COMPOUNDS</b> Entry 20<br>Tri-substituted organostannic compounds such as:<br>Tributyltin (TBT) compounds (CAS No 56573-85-4)<br>Triphenyltin (TPT) compounds (CAS No 668-34-8)<br><br>Dibutyltin (DBT) compounds (CAS No 1002-53-5)<br><br>Diocetyl tin (DOT) compounds (CAS No 15231-44-4) | 0.1% (1000ppm) by weight of tin (Sn)<br><br>0.1% (1000ppm) by weight of tin (Sn)<br><br>0.1% (1000ppm) by weight of tin (Sn) |
| <b>CHLORINATED PHENOLS</b> Entry 22 Pentachlorophenol, salts and ethers (PCP)<br>(CAS No 87-86-5)   | 0.1% (1000ppm)   |

|  |   |
|--|---|
| <p><b>ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES</b> Entry 46<br/>Nonylphenol (NP) (CAS No 25154-52-3)<br/>Nonylphenol ethoxylates (NPE)<br/>(C<sub>2</sub>H<sub>4</sub>O)<sub>n</sub>C<sub>15</sub>H<sub>24</sub>O</p>   | <p>Addition not allowed<br/>0.1% (1000ppm)<br/>0.01% (100ppm)</p> |
| <p><b>POLYCYCLIC AROMATIC HYDROCARBON (PAH)</b><br/>Entry 50, 72<br/>Benzo[a]pyrene (BaP) (CAS No 50-32-8)<br/>Benzo[e]pyrene (BeP) (CAS No 192-97-2)<br/>Benzo[a]anthracene (BaA) (CAS No 56-55-3)<br/>Chrysen (CHR) (CAS No 218-01-9)<br/>Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2)<br/>Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3)<br/>Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9)<br/>Dibenzo[a,h]anthracene (DBA<sub>h</sub>A) (CAS No 53-70-3)</p> | <p>1mg/kg (1ppm) each</p>   |

| Creativ Company requirements:  | Requirement / Max level in the final product  |
|--|---|
| <p><b>FLAME RETARDANTS</b><br/>Entry 45<br/>Diphenylether, octabromo derivative</p> <p>Entry 4<br/>Tris (2,3 dibromopropyl) phosphate (TRIS)<br/>(CAS no. 126-72-7)</p> <p>Entry 7<br/>Tris(aziridinyl)phosphin oxide, (TEPA)<br/>(CAS no. 545-55-1)</p> <p>Entry 8<br/>Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)</p> | <p>0.1% (1000ppm)</p> <p>Not allowed</p> <p>Not allowed</p> <p>Not allowed</p>                      |
| <p><b>EXTRACTABLE HEAVY METALS</b> Entry 72<br/>Cadmium (Cd) and its compounds<br/>Hexavalent chromium (Cr(VI) ) compounds<br/>Arsenic (As) compounds<br/>Lead (Pb) and its compounds<br/>(For the above metals compounds:<br/>as listed in entry 28, 29, 30 Appendices 1-6)</p>   | <p>1 mg/kg (1ppm) for each metal,<br/>expressed as the base metal extractable from the material</p> |
| <p><b>DYES, DISPERSE</b><br/>Entry 28, 30<br/>Pigment Red 104 (CAS No 12656-85-8)<br/>Pigment Yellow 34 (CAS No 1344-37-2)<br/>Direct Black 38 (CAS No 1937-37-7)<br/>Direct Blue 6 (CAS No 2602-46-2)</p>   | <p>0.1% (1000ppm) each</p>  |
| <p>Entry 72<br/>Basic Violet 3 (CAS No 548-62-9)<br/>Disperse Blue 1 (CAS No 2475-45-8)<br/>Basic Red 9 (CAS No 569-61-9)</p>  | <p>50mg/kg (50ppm) each</p>   |

|   |                |
|---|----------------|
|   |                |
| <p><b>'BLUE COLOURANT'</b> Entry 43, Appendix 9<br/>Not allocated Component 1: CAS-No: 118685-33-9:<br/>C<sub>39</sub>H<sub>23</sub>ClCrN<sub>7</sub>O<sub>12</sub>S<sub>2</sub>.2Na<br/>Component 2: C<sub>46</sub>H<sub>30</sub>CrN<sub>10</sub>S<sub>2</sub>.3 Na<br/>A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1-naphtholato) chromate(1-)</p> | 0.1% (1000ppm) |

| Creativ Company requirements:  | Requirement / Max level in the final product   |
|--|--|
| <p><b>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below:</b><br/>Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1)<br/>Benzidine (CAS No 92-87-5)<br/>4-Chloro-o-toluidine (CAS No 95-69-2)<br/>2-Naphthylamine (CAS No 91-59-8)<br/>o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3)<br/>5-Nitro-o-toluidine(CAS No 99-55-8)<br/>4-Chloroaniline (CAS No 106-47-8)<br/>4-Methoxy-m-phenylenediamine (CAS No 615-05-4)<br/>4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9)<br/>3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1)<br/>3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4)<br/>3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7)<br/>4,4'-Methylenedi-o-toluidine (CAS No 838-88-0)<br/>6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8)<br/>4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4)<br/>4,4'-Oxydianiline (CAS No 101-80-4)<br/>4,4'-Thiodianiline (CAS No 139-65-1)<br/>o-Toluidine, 2-aminotoluene (CAS No 95-53-4)<br/>4-Methyl-m-phenylenediamine (CAS No 95-80-7)<br/>2,4,5-Trimethylaniline (CAS No 137-17-7)<br/>o-Anisidine, 2-methoxyaniline (CAS No 90-04-0)<br/>4-Amino azobenzene (CAS No 60-09-3)</p> | Not allowed in detectable concentrations<br>(Detectable concentration: >30mg/kg (30ppm)) |

|   |  |
|---|--|
| <p><b>PHTHALATES</b><br/>Entry 72<br/>1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6)<br/>Di-n-hexylphthalate (DnHP) (CAS No 84-75-3)<br/>Diisopentylphthalate (DIPP) (CAS No 605-50-5)<br/>Di-n-pentylphthalate (DPP) (CAS No 131-18-0)<br/>Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)</p> | <p>Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII:<br/>0.1% (1000ppm)</p> |
| <p>Entry 51<br/>Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7)<br/>Dibutyl phthalate (DBP) (CAS No 84-74-2)<br/>Benzyl butyl phthalate (BBP) (CAS No 85-68-7)<br/>Diisobutyl phthalate (DIBP) CAS No 84-69-5</p>   | <p>Individually or in combination with the other phthalates in entry 51:<br/>0.1% (1000ppm)</p>                            |

| Creativ Company requirements:   | Requirement / Max level in the final product   |
|---|--|
| <p><b>PERFLUOROCARBOXYLIC ACIDS (PFCAs)</b><br/>REACH Annex XVII entry 30<br/>Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68<br/>C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaflluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i><br/><i>Tricosaflluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i><br/><i>Pentacosaflluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i><br/><i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i><br/><i>Heptacosaflluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i><br/><i>Nonadecaflluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p> | <p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb<br/>Sum of C9-C14 PFCA-related substances 260ppb</p> |

**Specific for metal parts (rivets, buttons, zippers, accessories etc.)**  
REACH Annex XVII entries to be observed: [Substances restricted under REACH \(Annex XVII\)](#)

|   |   |
|---|---|
| <p><b>TOTAL HEAVY METALS</b><br/>REACH, Annex XVII entry 23<br/>Cadmium (Cd) (CAS No 7440-43-9) and its components</p> <p>Entry 63<br/>Lead (Pb) (CAS No 7439-92-1) and its compounds</p> <p>Entry 18<br/>Mercury (Hg) (CAS No 7439-97-6) and its compounds</p> | <p>0.01% (100ppm)</p> <p>0.05% (500ppm)</p> <p>100ppm<sup>1</sup></p> |
|---|---|

<sup>1</sup> Danish BEK 73 of 25/01/2016

|  |   |
|--|---|
| <p><b>NICKEL (CAS No 7440-02-0) and its compounds</b><br/>Entry 27<br/>Nickel release (for metals with skin contact)</p> | <p>0.5 µg/cm<sup>2</sup>/week</p>                   |
| <p><b>Persistent organic pollutants (POP) of specific focus: <a href="#">Regulation 2019/1021/EU (POP)</a></b></p>       |   |
| <p><b>Creativ Company requirements:</b></p>  | <p>Requirement / Max level in the final product</p> |
| <p><b>PERFLUORINATED CHEMICALS (PFCs)</b><br/>Perfluorooctane sulfonic acid and its derivatives (PFOS)</p>               | <p>0.001% (10ppm)</p>                               |
| <p><b>FLAME RETARDANTS</b><br/>Deca-bromodiphenyl ether (decaBDE)<br/>(CAS No 1163-19-5)</p>                             | <p>Addition not allowed<br/>0.001% (10ppm)</p>      |
| <p><b>SCCPs</b><br/>Alkanes C<sub>10</sub>-C<sub>13</sub>, chloro (short-chain chlorinated paraffins)</p>                | <p>0.15% (1500ppm)</p>                              |