

Declaration of Conformity & Technical Documentation

Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	compliance@cchobby.dk
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S

Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:







Carded Wool, assorted colours, 10x25g/1 pack Item no. 45196



Carded Wool, 3x10g/ 1 pack Item no. 45338



Carded Wool, purple/pink harmony, 3x10g/ 1 pack Item no. 45334



Carded Wool, green/turkis harmony, 3x10g/ 1 pack Item no. 45336



Carded Wool, red/white harmony, 3x10g/ 1 pack Item no. 45337



Carded Wool, yellow/terracotta harmony, 3x10g/ 1 pack Item no. 45333





Carded Wool, blue harmony, 3x10g/ 1 pack Item no. 45335



Carded Wool, yellow, 1x100g/ 1 bundle Item no. 451770



Carded Wool, light beige, 1x100g/ 1 bundle Item no. 451780



Carded Wool, yellow, 2x100g/ 1 bundle Item no. 45177



Carded Wool, royal blue, 1x100g/ 1 bundle Item no. 451860



Carded Wool, red, 1x100g/ 1 bundle Item no. 451760





Carded Wool, sky blue, 1x100g/ 1 bundle Item no. 451850



Carded Wool, black, 1x100g/ 1 bundle Item no. 451840



Carded Wool, green, 1x100g/ 1 bundle Item no. 451830



Carded Wool, natural grey, 1x100g/ 1 bundle Item no. 451050



Carded Wool, natural, 5x100g/ 1 pack Item no. 45120



Carded Wool, natural, 1x100g/ 1 bundle Item no. 451030





Carded Wool, white, 1x100g/ 1 bundle Item no. 451010



Carded Wool, warm red, 1x100g/ 1 bundle Item no. 451870



Carded Wool, 86x10g/ 1 pack Item no. 45139



Carded Wool, black, grey, 5x100g/ 1 pack Item no. 786384



Carded Wool, green, turquoise, 5x100g/ 1 pack Item no. 786364



Carded Wool, 5x100g/ 1 pack Item no. 786334





Carded Wool, orange, yellow, 5x100g/ 1 pack Item no. 786314



Carded Wool, off-white, 1x400g/ 1 pc Item no. 786003

Product description

Carded wool in excellent reliable quality.

Instructions of use

Crafting

Textile Composition

100% Wool

The object of the declaration is in conformity with the relevant EU harmonisation legislation (se specifications in Appendix 1)

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1) Regulation 2019/1021/EU on persistent organic pollutants (POP)

Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to which conformity is declared

 $\begin{array}{ccc} \textbf{Title} & & \textbf{Reference} \\ \textbf{N/A} & & \textbf{N/A} \end{array}$

Safety information

N/A

Markings, claims, and certifications

 $\begin{tabular}{lll} Name & Licensing Code \\ N/A & N/A & \\ \end{tabular}$



Notified I	body
------------	------

Not applicable

Signature

Holstebro 09-08-2024

(place) (date)

Charlotte Pauli Adolphsen
Compliance

(name and function) (signature)



Appendix 1 – Specifications

Material description (examples)	Textiles Textile products (e.g. t-shirts, caps, aprons), fabrics (as piece goods), yarns, all in natural and synthetic materials
Creativ Company requirements:	Requirement / Max level in the final product
Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII	Full compliance
CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC) Link: candidate-list-table	Not allowed
Substances on the Authorisation List (REACH, Annex XIV) Link: Authorisation List	Not allowed
Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)	Full compliance
BIOLOGICALLY ACTIVE FINISHING PRODUCTS	Use substances approved by OEKO-TEX: OEKO-TEX Accepted Active Chemical Products

REACH Annex XVII entries of special importance:	
Substances restricted under REACH (Annex XVII)	
Creativ Company requirements:	Requirement / Max level in the final product
DIMETHYL FUMERATE (CAS NO 624-49-7)	0.1mg/kg (0.1ppm)
Entry 61	6.1 <i>G</i> , <i>g</i> (6.1 <i>p p</i>)
FORMALDEHYDE (CAS No 50-00-0) Entry 72	75mg/kg (75ppm)
SOLVENT RESIDUES Entry 72	Addition not allowed
Benzene (CAS No 71-43-2)	5mg/kg (5ppm)
ORGANOSTANNIC COMPOUNDS Entry 20	
Tri-substituted organostannic compounds such as:	0.1% (1000ppm) by weight of tin (Sn)
Tributyltin (TBT) compounds (CAS No 56573-85-4)	
Triphenyltin (TPT) compounds (CAS No 668-34-8)	
Dibutyltin (DBT) compounds (CAS No 1002-53-5)	0.1% (1000ppm) by weight of tin (Sn)
Dioctyltin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn)
CHLORINATED PHENOLS Entry 22 Pentachlorophenol, salts	0.40/4000
and ethers (PCP)	0.1% (1000ppm)
(CAS No 87-86-5)	



ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C ₂ H ₄ O) _n C ₁₅ H ₂₄ O	Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)
POLYCYCLIC AROMATIC HYDROCARBON (PAH) Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBAhA) (CAS No 53-70-3)	1mg/kg (1ppm) each

Creativ Company requirements:	Requirement / Max level in the final product
FLAME RETARDANTS	
Entry 45	
Diphenylether, octabromo derivative	0.1% (1000ppm)
Entry 4	N
Tris (2,3 dibromopropyl) phosphate (TRIS)	Not allowed
(CAS no. 126-72-7)	
Entry 7	
Tris(aziridinyl)phosphinoxide, (TEPA)	Not allowed
(CAS no. 545-55-1)	
Entry 8	
Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no.	Not allowed
59536-65-1)	
EXTRACTABLE HEAVY METALS Entry 72	
Cadmium (Cd) and its compounds	1 mg/kg (1ppm) for each metal,
Hexavalent chromium (Cr(VI)) compounds	expressed as the base metal extractable from the
Arsenic (As) compounds Lead (Pb) and its compounds	material
(For the above metals compounds:	
as listed in entry 28, 29, 30 Appendices 1-6)	
as listed in Chity 20, 25, 30 Appendices 1 0,	
DYES, DISPERSE	
Entry 28, 30	
Pigment Red 104 (CAS No 12656-85-8)	0.1% (1000ppm) each
Pigment Yellow 34 (CAS No 1344-37-2)	
Direct Black 38 (CAS No 1937-37-7)	
Direct Blue 6 (CAS No 2602-46-2)	
Entry 72	
Basic Violet 3 (CAS No 548-62-9)	50mg/kg (50ppm) each
Disperse Blue 1 (CAS No 2475-45-8)	· · · · · · · · · · · · · · · · · ·
Basic Red 9 (CAS No 569-61-9)	



'BLUE COLOURANT' Entry 43, Appendix 9 Not allocated Component 1: CAS-No: 118685-33-9: C ₃₉ H ₂₃ ClCrN ₇ O ₁₂ S.2Na Component 2: C ₄₆ H ₃₀ CrN ₁₀ S ₂ .3 Na A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)	0.1% (1000ppm)
chromate(1-)	

Creativ Company requirements:	Requirement / Max level in the final product
AZODYES, which by reductive cleavage of one or more azo	
groups, may release one or more of the aromatic amines	
listed below:	
Entry 43, Appendix 8	
Biphenyl-4-ylamine 4-aminobiphenyl xenylamine	Not allowed in detectable concentrations
(CAS No 92-67-1)	(Detectable concentration: >30mg/kg (30ppm))
Benzidine (CAS No 92-87-5)	
4-Chloro-o-toluidine (CAS No 95-69-2)	
2-Naphthylamine (CAS No 91-59-8)	
o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-	
tolylazo-o-toluidine (CAS No 97-56-3)	
5-Nitro-o-toluidine(CAS No 99-55-8)	
4-Chloroaniline (CAS No 106-47-8)	
4-Methoxy-m-phenylenediamine	
(CAS No 615-05-4)	
4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No	
101-77-9)	
3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1)	
3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4)	
3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7)	
4,4'-Methylenedi-o-toluidine (CAS No 838-88-0)	
6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8)	
4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-	
Methylene-dianiline (CAS No 101-14-4)	
4,4'-Oxydianiline (CAS No 101-80-4)	
4,4'-Thiodianiline (CAS No 139-65-1)	
o-Toluidine, 2-aminotoluene (CAS No 95-53-4)	
4-Methyl-m-phenylenediamine (CAS No 95-80-7)	
2,4,5-Trimethylaniline (CAS No 137-17-7)	
o-Anisidine, 2-methoxyaniline (CAS No 90-04-0)	
4-Amino azobenzene (CAS No 60-09-3)	



PHTHALATES Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)	Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)
Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5	Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)

Creativ Company requirements:	Requirement / Max level in the final product	
PERFLUOROCARBOXYLIC ACIDS (PFCAs) REACH Annex XVII entry 30		
Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt	25ppb	
Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances Henicosafluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8) Tricosafluorododecanoic acid (PFDoDA) (CAS No. 307-55-1) Pentacosafluorotridecanoic acid (PFTDA) (CAS No. 72629-94-8) Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1) Heptacosafluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7) Nonadecafluorodecanoic acid (PFDA) (CAS No. 335-76-2) including their salts and precursors	Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb	
·		
Specific for metal parts (rivets, buttons, zippers, accessories etc.) REACH Annex XVII entries to be observed: Substances restricted under REACH (Annex XVII)		
TOTAL HEAVY METALS		
REACH, Annex XVII entry 23 Cadmium (Cd) (CAS No 7440-43-9) and its components	0.01% (100ppm)	
Entry 63 Lead (Pb) (CAS No 7439-92-1) and its compounds	0.05% (500ppm)	
Entry 18 Mercury (Hg) (CAS No 7439-97-6) and its compounds	100ppm ¹	

¹ Danish BEK 73 of 25/01/2016



NICKEL (CAS No 7440-02-0) and its compounds		
Entry 27 Nickel release (for metals with skin contact)	0.5 μg/cm²/week	
With skill contact)	υ.5 μg/cm / week	
Persistent organic pollutants (POP) of specific focus: Regulation 2019/1021/EU (POP)		
Creativ Company requirements:	Requirement / Max level in the final product	
PERFLUORINATED CHEMICALS (PFCs)		
Perfluorooctane sulfonic acid and its derivatives (PFOS)	0.001% (10ppm)	
FLAME RETARDANTS		
Deca-bromodiphenyl ether (decaBDE)	Addition not allowed	
(CAS No 1163-19-5)	0.001% (10ppm)	
SCCPs		
Alkanes C ₁₀ -C ₁₃ , chloro (short-chain chlorinated paraffins)	0.15% (1500ppm)	