

Declaration of Conformity & Technical Documentation

Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	compliance@cchobby.dk
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S

Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:

 <p>Plastic beads, dia. 5-35 mm, hole size 1-8 mm, assorted colours, 700ml/ 1 tub Item no. 61838</p>	 <p>Plastic beads, dia. 5-35 mm, hole size 1-8 mm, assorted colours, 300ml/ 1 pack, 193 g Item no. 61836</p>
--	---

Product description

Beads in different colours and shapes that are easy to thread onto a cord. Perfect for children and adults who want to make homemade jewellery. In this bead mix, you get lots of different plastic beads. The beads come in a wealth of fine shapes – and because they have a vertical hole, you can easily use them to make homemade jewellery. Beads are popular with both kids and adults, and children will find it easy to thread them onto an elastic cord to create their own colourful bead jewellery

Instructions of use

Jewelry making

The object of the declaration is in conformity with the relevant EU harmonisation legislation

(see specifications in Appendix 1)

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1)

Regulation 2019/1021/EU on persistent organic pollutants (POP)

Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to which conformity is declared

Title

N/A

Reference

N/A

Safety information

N/A

Markings, claims, and certifications

N/A

Notified body

Not applicable

Signature

Holstebro


(place)

04-10-2024

(date)

Charlotte Pauli Adolphsen
Compliance

(name and function)



(signature)

Appendix 1 – Specifications

	Jewelry <i>Earrings and hooks, finger rings, bracelets, necklaces, hair accessories, all materials for DIY jewellery incl. beads, yarns, leather and other ornaments in metal, ceramics or glass</i>
Creativ Company requirements:	Requirement / Max level in the final product
Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII	Full compliance
CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC) Link: candidate-list-table	Not allowed
Substances on the Authorisation List (REACH, Annex XIV) Link: Authorisation List	Not allowed
Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)	Full compliance

Creativ Company requirements:	Requirement / Max level in the final product
TOTAL HEAVY METALS REACH, Annex XVII entry 23 Cadmium (Cd) (CAS No 7440-43-9) and its components	0.01% (100ppm)
Entry 63 Lead (Pb) (CAS No 7439-92-1) and its compounds	0.05% (500ppm)
Entry 18 Mercury (Hg) (CAS No 7439-97-6) and its compounds	100ppm ¹
Specific for plastic, rubber and silicone parts including paint and lacquer: REACH Annex XVII entries to be observed: Substances restricted under REACH (Annex XVII)	
POLYCYCLIC AROMATIC HYDROCARBON (PAH) Entry 50 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBAhA) (CAS No 53-70-3)	1mg/kg (1ppm) each For articles intended for children: 0.5mg/kg (0.5ppm) each

¹ Danish BEK 73 of 25/01/2016

FLAME RETARDANTS Entry 45 Diphenylether, octabromo derivative	0.1% (1000ppm)
PHTHALATES Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5 Entry 52 Di-‘isononyl’ phthalate (DINP) (CAS No 28553-12-0 and 68515-48-0) Di-‘isodecyl’ phthalate (DIDP) (CAS No 26761-40-0 and 68515-49-1) Di-n-octyl phthalate (DNOP) (CAS No 117-84-0)	Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm) For article intended for children: 0.01% (100ppm) each

Creativ Company requirements:	Requirement / Max level in the final product
Persistent organic pollutants (POP) of specific focus: Regulation 2019/1021/EU (POP)	
SCCPs Alkanes C ₁₀ -C ₁₃ , chloro (short-chain chlorinated paraffins)	0.15% (1500ppm)
FLAME RETARDANTS Deca-bromodiphenyl ether (decaBDE) (CAS No 1163-19-5)	Addition not allowed 0.001% (10ppm)
Specific for metal parts or parts with metallic coating: REACH Annex XVII entries to be observed: Substances restricted under REACH (Annex XVII)	
NICKEL (CAS No 7440-02-0) and its compounds Entry 27 Nickel release (for metals with skin contact) Nickel release (piercing products)	0.5 µg/cm ² /week 0.2 µg/cm ² /week
Specific for Sterling silver products and silver plating on jewellery parts:	
SILVER (CAS No 7440-2-4)	Must contain ≥ 92.5%

Specific for leather parts or parts covered by leather	
Creativ Company requirements:	Requirement / Max level in the final product
CHROMIUM VI COMPOUNDS Entry 47	3 mg/kg (3ppm)
ORGANOSTANNIC COMPOUNDS Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8) Dibutyltin (DBT) compounds (CAS No 1002-53-5)	0.1% (1000ppm) by weight of tin (Sn) 0.1% (1000ppm) by weight of tin (Sn)
CHLORINATED PHENOLS Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)
ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C ₂ H ₄ O) _n C ₁₅ H ₂₄ O	Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)
FLAME RETARDANTS Entry 45 Diphenylether, octabromo derivative Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7) Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1) Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)	0.1% (1000ppm) Not allowed Not allowed Not allowed
DIMETHYL FUMERATE (CAS NO 624-49-7) Entry 61	0.1mg/kg (0.1ppm)
DYES, DISPERSE Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)	0.1% (1000ppm) each

Creativ Company requirements:	Requirement / Max level in the final product
<p>'BLUE COLOURANT' Entry 43, Appendix 9 Not allocated Component 1: CAS-No: 118685-33-9: $C_{39}H_{23}ClCrN_7O_{12}S_2Na$ Component 2: $C_{46}H_{30}CrN_{10}S_2 \cdot 3 Na$ A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1-naphtholato) chromate(1-)</p>	<p>0.1% (1000ppm)</p>
<p>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below: Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1) Benzidine (CAS No 92-87-5) 4-Chloro-o-toluidine (CAS No 95-69-2) 2-Naphthylamine (CAS No 91-59-8) o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3) 5-Nitro-o-toluidine(CAS No 99-55-8) 4-Chloroaniline (CAS No 106-47-8) 4-Methoxy-m-phenylenediamine (CAS No 615-05-4) 4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9) 3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1) 3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4) 3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7) 4,4'-Methylenedi-o-toluidine (CAS No 838-88-0) 6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8) 4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4) 4,4'-Oxydianiline (CAS No 101-80-4) 4,4'-Thiodianiline (CAS No 139-65-1) o-Toluidine, 2-aminotoluene (CAS No 95-53-4) 4-Methyl-m-phenylenediamine (CAS No 95-80-7) 2,4,5-Trimethylaniline (CAS No 137-17-7) o-Anisidine, 2-methoxyaniline (CAS No 90-04-0) 4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: >30mg/kg (30ppm))</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p>PERFLUOCARBOXYLIC ACIDS (PFCAs) REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaflluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosaflluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosaflluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosaflluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecafluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p>	<p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb</p>

Specific for textile parts or parts covered by textile:	
Creativ Company requirements:	Requirement / Max level in the final product
BIOLOGICALLY ACTIVE FINISHING PRODUCTS	Use substances approved by OEKO-TEX: OEKO-TEX Accepted Active Chemical Products
DIMETHYL FUMERATE (CAS NO 624-49-7) Entry 61	0.1mg/kg (0.1ppm)
FORMALDEHYDE (CAS No 50-00-0) Entry 72	75mg/kg (75ppm)
SOLVENT RESIDUES Entry 72 Benzene (CAS No 71-43-2)	Addition not allowed 5mg/kg (5ppm)
ORGANOSTANNIC COMPOUNDS Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8)	0.1% (1000ppm) by weight of tin (Sn)
Dibutyltin (DBT) compounds (CAS No 1002-53-5)	0.1% (1000ppm) by weight of tin (Sn)
Diocyltin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn)
CHLORINATED PHENOLS Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)
ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES Entry 46	Addition not allowed 0.1% (1000ppm)

Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C ₂ H ₄ O) _n C ₁₅ H ₂₄ O	0.01% (100ppm)
POLYCYCLIC AROMATIC HYDROCARBON (PAH) Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBA _h A) (CAS No 53-70-3)	1mg/kg (1ppm) each

Creativ Company requirements:	Requirement / Max level in the final product
FLAME RETARDANTS Entry 45 Diphenylether, octabromo derivative Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7) Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1) Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)	0.1% (1000ppm) Not allowed Not allowed Not allowed
EXTRACTABLE HEAVY METALS Entry 72 Cadmium (Cd) and its compounds Hexavalent chromium (Cr(VI)) compounds Arsenic (As) compounds Lead (Pb) and its compounds (For the above metals compounds: as listed in entry 28, 29, 30 Appendices 1-6)	1 mg/kg (1ppm) for each metal, expressed as the base metal extractable from the material
DYES, DISPERSE Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)	0.1% (1000ppm) each
Entry 72 Basic Violet 3 (CAS No 548-62-9) Disperse Blue 1 (CAS No 2475-45-8) Basic Red 9 (CAS No 569-61-9)	50mg/kg (50ppm) each

<p>'BLUE COLOURANT' Entry 43, Appendix 9 Not allocated Component 1: CAS-No: 118685-33-9: $C_{39}H_{23}ClCrN_7O_{12}S_2Na$ Component 2: $C_{46}H_{30}CrN_{10}S_2 \cdot 3 Na$ A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1- naphtholato) chromate(1-)</p>	<p>0.1% (1000ppm)</p>
--	-----------------------

Creativ Company requirements:	Requirement / Max level in the final product
<p>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below: Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1) Benzidine (CAS No 92-87-5) 4-Chloro-o-toluidine (CAS No 95-69-2) 2-Naphthylamine (CAS No 91-59-8) o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3) 5-Nitro-o-toluidine(CAS No 99-55-8) 4-Chloroaniline (CAS No 106-47-8) 4-Methoxy-m-phenylenediamine (CAS No 615-05-4) 4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9) 3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1) 3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4) 3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7) 4,4'-Methylenedi-o-toluidine (CAS No 838-88-0) 6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8) 4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4) 4,4'-Oxydianiline (CAS No 101-80-4) 4,4'-Thiodianiline (CAS No 139-65-1) o-Toluidine, 2-aminotoluene (CAS No 95-53-4) 4-Methyl-m-phenylenediamine (CAS No 95-80-7) 2,4,5-Trimethylaniline (CAS No 137-17-7) o-Anisidine, 2-methoxyaniline (CAS No 90-04-0) 4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: >30mg/kg (30ppm))</p>

<p>PHTHALATES Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)</p>	<p>Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)</p>
<p>Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5</p>	<p>Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p>PERFLUOROCARBOXYLIC ACIDS (PFCAs) REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaf fluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosaf fluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosaf fluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosaf fluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecaf fluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p>	<p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb</p>