



# Declaration of Conformity & Technical Documentation

## Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	<a href="mailto:compliance@cchobby.dk">compliance@cchobby.dk</a>
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S

## Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:

 <p>Cap, size 49,5-56 cm, white, 1pc/ 1 pc Item no. 995771</p>	 <p>Cap, size 49,5-56 cm, white, 12 pc/ 1 pack Item no. 99577</p>
---	---

## Product description

100% cotton cap with extra large brim and adjustable strap at the back for a good fit; decorate it according to your own personal style. You can never go wrong with a cap. This is the best of all headgear because you can wear it anytime, anywhere. Caps are favourites in the summer months, where they can protect you from the sun's rays while you're at the beach, on a shopping trip or just out in the garden. That way, the cap is a really practical hat – but that doesn't mean it has to look boring. So put on markers, paint, stickers and rhinestones and start decorating the cap. Use your imagination freely and create a cap in your very own design.. If you want to paint, draw on and decorate the cap, remember to follow the instructions on the colours you choose to ensure long-lasting colour vibrancy. Place

plastic, cardboard, etc. inside the cap while decorating it so that the colours do not rub off on the back. Note that there is cardboard inside the cap's visor to stiffen it. So if you put the cap in the washing machine or use it for batik (colour bath), the visor might soften and become slightly misshapen

**Instructions of use**

Crafting

**Textile Composition**

100% Cotton

**The object of the declaration is in conformity with the relevant EU harmonisation legislation (see specifications in Appendix 1)**

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1)  
Regulation 2019/1021/EU on persistent organic pollutants (POP)

**Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to which conformity is declared**

**Title**  
N/A

**Reference**  
N/A

**Safety information**

N/A

**Markings, claims, and certifications**

**Name**  
N/A

**Licensing Code**  
N/A

**Notified body**


Not applicable

**Signature**

Holstebro  
\_\_\_\_\_  
(place)

18-09-2024  
\_\_\_\_\_  
(date)

Charlotte Pauli Adolphsen  
Compliance  
\_\_\_\_\_  
(name and function)



\_\_\_\_\_  
(signature)

## Appendix 1 – Specifications

	<b>Textiles</b> <i>Textile products (e.g. t-shirts, caps, aprons), fabrics (as piece goods), yarns, all in natural and synthetic materials</i>
<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII</b>	Full compliance
<b>CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC)</b> Link: <a href="#">candidate-list-table</a>	Not allowed
<b>Substances on the Authorisation List (REACH, Annex XIV)</b> Link: <a href="#">Authorisation List</a>	Not allowed
<b>Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)</b>	Full compliance
<b>BIOLOGICALLY ACTIVE FINISHING PRODUCTS</b>	Use substances approved by OEKO-TEX: <a href="#">OEKO-TEX Accepted Active Chemical Products</a>

<b>REACH Annex XVII entries of special importance:</b> <a href="#">Substances restricted under REACH (Annex XVII)</a>	
<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>DIMETHYL FUMERATE (CAS NO 624-49-7)</b> Entry 61	0.1mg/kg (0.1ppm)
<b>FORMALDEHYDE (CAS No 50-00-0)</b> Entry 72	75mg/kg (75ppm)
<b>SOLVENT RESIDUES</b> Entry 72 Benzene (CAS No 71-43-2)	Addition not allowed 5mg/kg (5ppm)
<b>ORGANOSTANNIC COMPOUNDS</b> Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8)  Dibutyltin (DBT) compounds (CAS No 1002-53-5)  Diocetyl tin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn)    0.1% (1000ppm) by weight of tin (Sn)  0.1% (1000ppm) by weight of tin (Sn)
<b>CHLORINATED PHENOLS</b> Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)

<b>ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES</b> Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) $(C_2H_4O)_n C_{15}H_{24}O$	Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)
<b>POLYCYCLIC AROMATIC HYDROCARBON (PAH)</b> Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBA <sub>h</sub> A) (CAS No 53-70-3)	1mg/kg (1ppm) each

<b>Creativ Company requirements:</b>	Requirement / Max level in the final product
<b>FLAME RETARDANTS</b> Entry 45 Diphenylether, octabromo derivative  Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7)  Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1)  Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)	0.1% (1000ppm)  Not allowed  Not allowed  Not allowed
<b>EXTRACTABLE HEAVY METALS</b> Entry 72 Cadmium (Cd) and its compounds Hexavalent chromium (Cr(VI) ) compounds Arsenic (As) compounds Lead (Pb) and its compounds (For the above metals compounds: as listed in entry 28, 29, 30 Appendices 1-6)	1 mg/kg (1ppm) for each metal, expressed as the base metal extractable from the material
<b>DYES, DISPERSE</b> Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)	0.1% (1000ppm) each
Entry 72 Basic Violet 3 (CAS No 548-62-9) Disperse Blue 1 (CAS No 2475-45-8) Basic Red 9 (CAS No 569-61-9)	50mg/kg (50ppm) each

<p><b>'BLUE COLOURANT'</b> Entry 43, Appendix 9 Not allocated Component 1: CAS-No: 118685-33-9: C<sub>39</sub>H<sub>23</sub>ClCrN<sub>7</sub>O<sub>12</sub>S<sub>2</sub>.2Na Component 2: C<sub>46</sub>H<sub>30</sub>CrN<sub>10</sub>S<sub>2</sub>.3 Na A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1-naphtholato) chromate(1-)</p>	<p>0.1% (1000ppm)</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below:</b> Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1) Benzidine (CAS No 92-87-5) 4-Chloro-o-toluidine (CAS No 95-69-2) 2-Naphthylamine (CAS No 91-59-8) o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3) 5-Nitro-o-toluidine(CAS No 99-55-8) 4-Chloroaniline (CAS No 106-47-8) 4-Methoxy-m-phenylenediamine (CAS No 615-05-4) 4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9) 3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1) 3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4) 3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7) 4,4'-Methylenedi-o-toluidine (CAS No 838-88-0) 6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8) 4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4) 4,4'-Oxydianiline (CAS No 101-80-4) 4,4'-Thiodianiline (CAS No 139-65-1) o-Toluidine, 2-aminotoluene (CAS No 95-53-4) 4-Methyl-m-phenylenediamine (CAS No 95-80-7) 2,4,5-Trimethylaniline (CAS No 137-17-7) o-Anisidine, 2-methoxyaniline (CAS No 90-04-0) 4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: &gt;30mg/kg (30ppm))</p>

<p><b>PHTHALATES</b> Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)</p>	<p>Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)</p>
<p>Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5</p>	<p>Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p><b>PERFLUOROCARBOXYLIC ACIDS (PFCAs)</b> REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaflluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosaflluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosaflluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosaflluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecaflluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p>	<p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb</p>

**Specific for metal parts (rivets, buttons, zippers, accessories etc.)**  
REACH Annex XVII entries to be observed: [Substances restricted under REACH \(Annex XVII\)](#)

<p><b>TOTAL HEAVY METALS</b> REACH, Annex XVII entry 23 Cadmium (Cd) (CAS No 7440-43-9) and its components</p> <p>Entry 63 Lead (Pb) (CAS No 7439-92-1) and its compounds</p> <p>Entry 18 Mercury (Hg) (CAS No 7439-97-6) and its compounds</p>	<p>0.01% (100ppm)</p> <p>0.05% (500ppm)</p> <p>100ppm<sup>1</sup></p>
---	---

<sup>1</sup> Danish BEK 73 of 25/01/2016

<p><b>NICKEL (CAS No 7440-02-0) and its compounds</b> Entry 27 Nickel release (for metals with skin contact)</p>	<p>0.5 µg/cm<sup>2</sup>/week</p>
<p><b>Persistent organic pollutants (POP) of specific focus: <a href="#">Regulation 2019/1021/EU (POP)</a></b></p>	
<p><b>Creativ Company requirements:</b></p>	<p>Requirement / Max level in the final product</p>
<p><b>PERFLUORINATED CHEMICALS (PFCs)</b> Perfluorooctane sulfonic acid and its derivatives (PFOS)</p>	<p>0.001% (10ppm)</p>
<p><b>FLAME RETARDANTS</b> Deca-bromodiphenyl ether (decaBDE) (CAS No 1163-19-5)</p>	<p>Addition not allowed 0.001% (10ppm)</p>
<p><b>SCCPs</b> Alkanes C<sub>10</sub>-C<sub>13</sub>, chloro (short-chain chlorinated paraffins)</p>	<p>0.15% (1500ppm)</p>