

Declaration of Conformity & Technical Documentation

Identity of the supplier

Company name:	Creativ Company A/S
Address:	Rasmus Færchs Vej 23, 7500 Holstebro, Denmark
E-mail address:	compliance@cchobby.dk
This declaration of conformity is issued under the sole responsibility of:	The manufacturer Creativ Company A/S

Object of declaration

The subject of the declaration is the following products with their product name corresponding item numbers:

 <p>Cotton Yarn, L: 170 m, purple, 50g/ 1 ball Item no. 431260</p>	 <p>Cotton Yarn, L: 170 m, light red, 50g/ 1 ball Item no. 431220</p>
---	---



Cotton Yarn, L: 170 m, dusty blue, 50g/ 1 ball
Item no. 431180



Cotton Yarn, L: 170 m, turquoise, 50g/ 1 ball
Item no. 431120



Cotton Yarn, L: 170 m, dusty rose, 50g/ 1 ball
Item no. 431140



Cotton Yarn, L: 170 m, curry, 50g/ 1 ball
Item no. 431070



Cotton Yarn, L: 170 m, off-white, 50g/ 1 ball
Item no. 431030



Cotton Yarn, L: 170 m, dark blue, 50g/ 1 ball
Item no. 431280



Cotton Yarn, L: 170 m, black, 50g/ 1 ball
Item no. 431310



Cotton Yarn, L: 170 m, plum, 50g/ 1 ball
Item no. 431250



Cotton Yarn, L: 170 m, mint green, 50g/ 1 ball
Item no. 431210



Cotton Yarn, L: 170 m, lavender, 50g/ 1 ball
Item no. 431170



Cotton Yarn, L: 170 m, terracotta, 50g/ 1 ball
Item no. 431130



Cotton Yarn, L: 170 m, blue, 50g/ 1 ball
Item no. 431110



Cotton Yarn, L: 170 m, dark rose, 50g/ 1 ball
Item no. 431060



Cotton Yarn, L: 170 m, white, 50g/ 1 ball
Item no. 431020



Cotton Yarn, L: 170 m, dark brown, 50g/ 1 ball
Item no. 431300



Cotton Yarn, L: 170 m, dark red, 50g/ 1 ball
Item no. 431240



Cotton Yarn, L: 170 m, anthracite grey, 50g/ 1 ball
Item no. 431200



Cotton Yarn, L: 170 m, beige, 50g/ 1 ball
Item no. 431160



Cotton Yarn, L: 170 m, orange, 50g/ 1 ball
Item no. 431090



Cotton Yarn, L: 170 m, sand, 50g/ 1 ball
Item no. 431050



Cotton Yarn, L: 170 m, cobalt blue, 50g/ 1 ball
Item no.431270



Cotton Yarn, L: 170 m, pink, 50g/ 1 ball
Item no. 431230



Cotton Yarn, L: 170 m, dark green, 50g/ 1 ball
Item no. 431290



Cotton Yarn, L: 170 m, antique pink, 50g/ 1 ball
Item no. 431150



Cotton Yarn, L: 170 m, red, 50g/ 1 ball
Item no. 431080



Cotton Yarn, L: 170 m, grey, 50g/ 1 ball
Item no. 431190



Cotton Yarn, L: 170 m, yellow, 50g/ 1 ball
Item no. 431040



Cotton Yarn, L: 170 m, assorted colours, 300 ball/ 1 pack
Item no. 43100



Cotton Yarn, L: 170 m, petrol, 50g/ 1 ball
Item no. 431010



Cotton Yarn, L: 170 m, Content may vary , assorted colours, 20x50g/ 1 pack
Item no. 43101

 <p>Cotton Yarn, L: 170 m, assorted colours, 30x50g/ 1 pack Item no. 431000</p>	 <p>Cotton Yarn, assorted colours, 360 ball/ 1 pack Item no. 43110</p>
--	--

Product description

100% cotton yarn in very good quality. Certified by Oeko-Tex® Standard 100

Instructions of use

Crafting

Textile Composition

100% Cotton

The object of the declaration is in conformity with the relevant EU harmonisation legislation

(see specifications in Appendix 1)

Regulation 1907/2006/EC (REACH) (see specifications in appendix 1)

Regulation 2019/1021/EU on persistent organic pollutants (POP)

Reference to the relevant harmonised standards used, or reference to the specifications and / or tests to which conformity is declared

Title
N/A

Reference
N/A

Safety information

N/A

Markings, claims, and certifications

Name
OEKO-TEX® STANDRAD 100

Licensing Code
09.HBG.68250

Notified body
Not applicable

Signature

Holstebro

14-11-2024

(place)

(date)

Charlotte Pauli Adolphsen
Compliance

A handwritten signature in blue ink is written over a faint, semi-transparent watermark of the 'creativ' logo. The signature appears to be 'Charlotte Pauli Adolphsen'. Below the signature, there is a faint rectangular stamp containing the text 'creativ' and 'Charlotte Pauli Adolphsen'.

(name and function)

(signature)

Appendix 1 – Specifications

	Textiles <i>Textile products (e.g. t-shirts, caps, aprons), fabrics (as piece goods), yarns, all in natural and synthetic materials</i>
Creativ Company requirements:	Requirement / Max level in the final product
Compliance to Regulation 1907/2006/EC (REACH) including Annex XVII	Full compliance
CANDIDATE LIST OF SUBSTANCES of very high concern (SVHC) Link: candidate-list-table	Not allowed
Substances on the Authorisation List (REACH, Annex XIV) Link: Authorisation List	Not allowed
Compliance to Regulation 2019/1021/EU on persistent organic pollutants (POP)	Full compliance
BIOLOGICALLY ACTIVE FINISHING PRODUCTS	Use substances approved by OEKO-TEX: OEKO-TEX Accepted Active Chemical Products

REACH Annex XVII entries of special importance: Substances restricted under REACH (Annex XVII)	
Creativ Company requirements:	Requirement / Max level in the final product
DIMETHYL FUMERATE (CAS NO 624-49-7) Entry 61	0.1mg/kg (0.1ppm)
FORMALDEHYDE (CAS No 50-00-0) Entry 72	75mg/kg (75ppm)
SOLVENT RESIDUES Entry 72 Benzene (CAS No 71-43-2)	Addition not allowed 5mg/kg (5ppm)
ORGANOSTANNIC COMPOUNDS Entry 20 Tri-substituted organostannic compounds such as: Tributyltin (TBT) compounds (CAS No 56573-85-4) Triphenyltin (TPT) compounds (CAS No 668-34-8) Dibutyltin (DBT) compounds (CAS No 1002-53-5) Diocetyl tin (DOT) compounds (CAS No 15231-44-4)	0.1% (1000ppm) by weight of tin (Sn) 0.1% (1000ppm) by weight of tin (Sn) 0.1% (1000ppm) by weight of tin (Sn)
CHLORINATED PHENOLS Entry 22 Pentachlorophenol, salts and ethers (PCP) (CAS No 87-86-5)	0.1% (1000ppm)

<p>ALKYLPHENOL ETHOXYLATES (APEOS) AND METABOLITES Entry 46 Nonylphenol (NP) (CAS No 25154-52-3) Nonylphenol ethoxylates (NPE) (C₂H₄O)_nC₁₅H₂₄O</p>	<p>Addition not allowed 0.1% (1000ppm) 0.01% (100ppm)</p>
<p>POLYCYCLIC AROMATIC HYDROCARBON (PAH) Entry 50, 72 Benzo[a]pyrene (BaP) (CAS No 50-32-8) Benzo[e]pyrene (BeP) (CAS No 192-97-2) Benzo[a]anthracene (BaA) (CAS No 56-55-3) Chrysen (CHR) (CAS No 218-01-9) Benzo[b]fluoranthene (BbFA) (CAS No 205-99-2) Benzo[j]fluoranthene (BjFA) (CAS No 205-82-3) Benzo[k]fluoranthene (BkFA) (CAS No 207-08-9) Dibenzo[a,h]anthracene (DBA_hA) (CAS No 53-70-3)</p>	<p>1mg/kg (1ppm) each</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p>FLAME RETARDANTS Entry 45 Diphenylether, octabromo derivative</p> <p>Entry 4 Tris (2,3 dibromopropyl) phosphate (TRIS) (CAS no. 126-72-7)</p> <p>Entry 7 Tris(aziridinyl)phosphin oxide, (TEPA) (CAS no. 545-55-1)</p> <p>Entry 8 Polybromobiphenyls, Polybrominatedbiphenyls (PBB) (CAS no. 59536-65-1)</p>	<p>0.1% (1000ppm)</p> <p>Not allowed</p> <p>Not allowed</p> <p>Not allowed</p>
<p>EXTRACTABLE HEAVY METALS Entry 72 Cadmium (Cd) and its compounds Hexavalent chromium (Cr(VI)) compounds Arsenic (As) compounds Lead (Pb) and its compounds (For the above metals compounds: as listed in entry 28, 29, 30 Appendices 1-6)</p>	<p>1 mg/kg (1ppm) for each metal, expressed as the base metal extractable from the material</p>
<p>DYES, DISPERSE Entry 28, 30 Pigment Red 104 (CAS No 12656-85-8) Pigment Yellow 34 (CAS No 1344-37-2) Direct Black 38 (CAS No 1937-37-7) Direct Blue 6 (CAS No 2602-46-2)</p>	<p>0.1% (1000ppm) each</p>
<p>Entry 72 Basic Violet 3 (CAS No 548-62-9) Disperse Blue 1 (CAS No 2475-45-8) Basic Red 9 (CAS No 569-61-9)</p>	<p>50mg/kg (50ppm) each</p>

<p>'BLUE COLOURANT' Entry 43, Appendix 9</p> <p>Not allocated Component 1: CAS-No: 118685-33-9: C₃₉H₂₃ClCrN₇O₁₂S₂.2Na</p> <p>Component 2: C₄₆H₃₀CrN₁₀S₂.3 Na</p> <p>A mixture of: disodium (6-(4-anisidino)-3- sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1- naphtholato)(1-(5-chloro-2-oxidophenylazo)-2- naphtholato)chromate(1-); trisodium bis(6-(4-anisidino)-3-sulfonato-2-(3,5- dinitro-2-oxidophenylazo)-1- naphtholato) chromate(1-)</p>	0.1% (1000ppm)

Creativ Company requirements:	Requirement / Max level in the final product
<p>AZODYES, which by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines listed below:</p> <p>Entry 43, Appendix 8</p> <p>Biphenyl-4-ylamine 4-aminobiphenyl xenylamine (CAS No 92-67-1)</p> <p>Benzidine (CAS No 92-87-5)</p> <p>4-Chloro-o-toluidine (CAS No 95-69-2)</p> <p>2-Naphthylamine (CAS No 91-59-8)</p> <p>o-Aminoazotoluene 4-amino-2',3-dimethylazobenzene, 4-o-tolylazo-o-toluidine (CAS No 97-56-3)</p> <p>5-Nitro-o-toluidine(CAS No 99-55-8)</p> <p>4-Chloroaniline (CAS No 106-47-8)</p> <p>4-Methoxy-m-phenylenediamine (CAS No 615-05-4)</p> <p>4,4'-Methylenedianiline 4,4'-diaminodiphenylmethane (CAS No 101-77-9)</p> <p>3,3'-Dichlorobenzidine 3,3'-dichlorobiphenyl-4,4'-ylenediamine (CAS No 91-94-1)</p> <p>3,3'-Dimethoxybenzidine o-dianisidine (CAS No 119-90-4)</p> <p>3,3'-Dimethylbenzidine 4,4'-bi-o-toluidine (CAS No 119-93-7)</p> <p>4,4'-Methylenedi-o-toluidine (CAS No 838-88-0)</p> <p>6-Methoxy-m-toluidine p-cresidine (CAS No 120-71-8)</p> <p>4,4'-Methylene-bis-(2-chloro-aniline), 2,2'-dichloro-4,4'-Methylene-dianiline (CAS No 101-14-4)</p> <p>4,4'-Oxydianiline (CAS No 101-80-4)</p> <p>4,4'-Thiodianiline (CAS No 139-65-1)</p> <p>o-Toluidine, 2-aminotoluene (CAS No 95-53-4)</p> <p>4-Methyl-m-phenylenediamine (CAS No 95-80-7)</p> <p>2,4,5-Trimethylaniline (CAS No 137-17-7)</p> <p>o-Anisidine, 2-methoxyaniline (CAS No 90-04-0)</p> <p>4-Amino azobenzene (CAS No 60-09-3)</p>	<p>Not allowed in detectable concentrations (Detectable concentration: >30mg/kg (30ppm))</p>

<p>PHTHALATES Entry 72 1,2-benzenedicarboxylic acid; diC 6-8-branched alkylesters, C 7-rich (CAS No 71888-89-6) Di-n-hexylphthalate (DnHP) (CAS No 84-75-3) Diisopentylphthalate (DIPP) (CAS No 605-50-5) Di-n-pentylphthalate (DPP) (CAS No 131-18-0) Bis(2-methoxyethyl) phthalate (CAS No 117-82-8)</p>	<p>Individually or in combination with other phthalates in entry 72 or other entries of Annex XVII: 0.1% (1000ppm)</p>
<p>Entry 51 Bis (2-ethylhexyl) phthalate (DEHP) (CAS No 117-81-7) Dibutyl phthalate (DBP) (CAS No 84-74-2) Benzyl butyl phthalate (BBP) (CAS No 85-68-7) Diisobutyl phthalate (DIBP) CAS No 84-69-5</p>	<p>Individually or in combination with the other phthalates in entry 51: 0.1% (1000ppm)</p>

Creativ Company requirements:	Requirement / Max level in the final product
<p>PERFLUOROCARBOXYLIC ACIDS (PFCAs) REACH Annex XVII entry 30 Perfluorooctanoic Acid (PFOA) (CAS No. 335-67-1) and its salt</p> <p>Entry 68 C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances</p> <p><i>Henicosaflluoroundecanoic acid (PFUnDA) (CAS No. 2058-94-8)</i> <i>Tricosaflluorododecanoic acid (PFDoDA) (CAS No. 307-55-1)</i> <i>Pentacosaflluorotridecanoic acid (PFTrDA) (CAS No. 72629-94-8)</i> <i>Perfluorononan-1-oic acid (PFNA) (CAS No. 375-95-1)</i> <i>Heptacosaflluorotetradecanoic acid (PFTDA) (CAS No. 376-06-7)</i> <i>Nonadecafluorodecanoic acid (PFDA) (CAS No. 335-76-2)</i></p> <p><i>including their salts and precursors</i></p>	<p>25ppb</p> <p>Sum of C9-C14 PFCAs and their salts 25ppb Sum of C9-C14 PFCA-related substances 260ppb</p>
<p>Specific for metal parts (rivets, buttons, zippers, accessories etc.) REACH Annex XVII entries to be observed: Substances restricted under REACH (Annex XVII)</p>	
<p>TOTAL HEAVY METALS REACH, Annex XVII entry 23 Cadmium (Cd) (CAS No 7440-43-9) and its components</p> <p>Entry 63 Lead (Pb) (CAS No 7439-92-1) and its compounds</p> <p>Entry 18 Mercury (Hg) (CAS No 7439-97-6) and its compounds</p>	<p>0.01% (100ppm)</p> <p>0.05% (500ppm)</p> <p>100ppm¹</p>

¹ Danish BEK 73 of 25/01/2016

<p>NICKEL (CAS No 7440-02-0) and its compounds Entry 27 Nickel release (for metals with skin contact)</p>	<p>0.5 µg/cm²/week</p>
<p>Persistent organic pollutants (POP) of specific focus: Regulation 2019/1021/EU (POP)</p>	
<p>Creativ Company requirements:</p>	<p>Requirement / Max level in the final product</p>
<p>PERFLUORINATED CHEMICALS (PFCs) Perfluorooctane sulfonic acid and its derivatives (PFOS)</p>	<p>0.001% (10ppm)</p>
<p>FLAME RETARDANTS Deca-bromodiphenyl ether (decaBDE) (CAS No 1163-19-5)</p>	<p>Addition not allowed 0.001% (10ppm)</p>
<p>SCCPs Alkanes C₁₀-C₁₃, chloro (short-chain chlorinated paraffins)</p>	<p>0.15% (1500ppm)</p>